

State of California—Health and Human Services Agency California Department of

Public Health



GAVIN NEWSOM

Governor

April 6, 2021

TO: All Californians

SUBJECT: Outdoor and Indoor Youth and Recreational Adult Sports

Updated on April 6, 2021 to reflect:

- Spectators and observers are permitted pursuant to Outdoor Seated Live Events and Performances.
- Inter-team competitions, meets, races, or similar events are permitted to occur only with other teams within the state.

Summary

COVID-19 continues to pose a severe risk to communities and requires all people in California to follow recommended precautions. This guidance provides direction on outdoor and indoor youth and recreational adult sports activities to support a safe environment for these sports. The guidance applies to all **organized** youth sports and recreation—including school- and community-sponsored programs, and privately-organized clubs and leagues — and adult recreational sports (hereafter youth and adult sports). This guidance does not apply to collegiate or professional sports. Additionally, this guidance does not apply to community events, such as marathons, half-marathons, and endurance races.

Inter-team competitions (i.e., between two teams) resumed in California beginning January 25, 2021. **The** guidelines outlined in this document shall take effect on February 26, 2021, as updated, effective March 5, 2021.

The status of return-to-competition is subject to change at any time given the level of COVID-19 transmission in California.

Sports Risk Profiles

In general, the more people from outside their household with whom a person interacts, the closer the physical interaction is, the greater the physical exertion is, and the longer the interaction lasts, the higher the risk that a person with COVID-19 infection may spread it to others.

Youth and adult sports include varied activities that have different levels of risk for transmission of COVID-19. Outdoor activities present significantly lower risk of transmission relative to comparative indoor activities, based on current scientific evidence. Competition between different teams also increases mixing across groups and outside of communities, which also contributes to the potential for spread of the COVID-19 disease.

Youth and adult sports are classified below by their level of contact and transmission risk. This classification applies to competition or training/practice with others. It does not apply to individual conditioning or exercise.

The Tables below are not exhaustive, but provide examples of sports with different levels of contact so that the level of risk can be assessed for other sports.

Low-Contact Sports

Individual or small group sports where contact within six feet of other participants can be avoided. Some of these sports have relatively low exertion rates that allow for consistent wearing of face coverings when within six feet of other people.

Moderate-Contact Sports

Team sports that can be played with only incidental or intermittent close contact between participants.

High-Contact Sports

Team sports with frequent or sustained close contact (and in many cases, face-to-face contact) between participants and high probability that respiratory particles will be transmitted between participants.

Factors Affecting the Risk of Transmission

- Risk increases when face coverings are not worn, and physical distancing is not maintained.
- Risk increases with increasing levels of contact between participants; closer contact (particularly face-to-face contact), and the frequency and total duration of close contact, increases the risk that respiratory particles will be transmitted between participants.
- Risk increases with greater exertion levels; greater exertion increases the rate of breathing and the quantity of air that is inhaled and exhaled with every breath.
- Risk increases with mixing of cohorts and groups, particularly when from different communities (during or
 outside of sports play); mixing with more people increases the risk that an infectious person will be present.

General Guidance for Youth and Adult Sports Participants, Coaches, and Support Staff

It should be noted that local health departments and school districts may have stricter rules and should be consulted to confirm what is allowed.

General Requirements for All Sports:

Irrespective of setting (outdoor or indoor) case rate or sport played, the following general guidance requirements must be adhered to at all times:

- Face coverings to be worn when not participating in the activity (e.g., on the sidelines).
- Face coverings to be worn by coaches, support staff and **observers** at all times, and in compliance with the CDPH Guidance for the Use of Face Coverings.
- Observers maintain at least 6 feet from non-household members.

- No sharing of drink bottles and other personal items and equipment.
- Mixing with other households prior to and post any practice or competition must strictly adhere to current gathering guidance.
- Limit indoor sports activities (practice, conditioning) to comply with capacity limits (which shall include all athletes, coaches, and observers) indicated in current CDPH Gym & Fitness Center Guidance Capacity.
- Associated indoor activities for the team (e.g., dinners, film study) are prohibited if engaged in competition given evidence that transmission is more likely to occur in these indoor higher risk settings.
- Teams must not participate in out-of-state games and tournaments; several multistate outbreaks have been reported around the nation, including California residents.

Limitations on Observers

- Consider video streaming of games so that they can be watched "live" from home.
- For all youth and adult outdoor sports, spectators and observers are permitted pursuant to Outdoor Seated Live Events and Performances. Spectators and observers for indoor sports is limited to observation of youth sports (age 18 years and under), and is further limited to immediate household members for the strict purpose of age appropriate supervision. This prohibition shall remain in effect until such time as Indoor Seated Live Events and Performance Guidance is posted and becomes effective.

Limitations for Inter-Team Competitions and Tournaments

- Inter-team competitions, meets, races, or similar events are permitted to occur only with other teams within the state.
 - The county-based authorizations outlined in the Table below apply to the locations/counties in which the teams, schools, clubs, leagues, and similar organizations are functionally based (e.g., where the players reside, where facilities are located, etc.).
 - Local Health Departments to be notified of any cross county competitions within their jurisdiction
 and reserve the right under their own discretion to deny the competition at any time in their
 jurisdiction. Teams participating in cross county competitions will follow the more stringent rules if
 the participating teams are coming from counties that may be at different case rate thresholds.
- Teams adhere to current CDPH Travel Advisory recommendations when determining travel for competition in other counties.
- No tournaments or events that involve more than two teams to occur. Exceptions may be made, with
 authorization from the local health department where the event is being held and each of the local health
 departments where teams originate from, for sports where individual competitors from multiple teams are
 routine such as: track and field; cross-country; golf; skiing/snowboarding; tennis; swimming/diving/surfing;
 biking and equestrian events.
- A single team may only play another single team within the same day.

Permitted Youth and Recreational Adult Sports by Case Rate Threshold

Physical conditioning, practice, skill-building, and training that can be conducted outdoors, with 6 feet of
physical distancing, and within stable cohorts are authorized regardless of case rate or sport. Such activities
may be conducted indoors consistent with restrictions by Tier in the Gym & Fitness Center Guidance
Capacity.

Face Coverings

• Face coverings worn by participants during practice, conditioning and during competition, even during heavy exertion as tolerated. See the American Academy of Pediatrics Interim Guidance on Return to Sports [1] for specific exceptions where the face covering may become a hazard.

Other General Guidance

Below are other general guidance that are strongly encouraged as part of any participation in sport. Depending on risk level (high or moderate) and county case rates, these general guidance may be **required** for play of outdoor sports in less restrictive tiers, as specified below.

Physical Distancing

- Maintain at least six feet of distance between sport participants and others to the maximum extent possible, including when on the sidelines.
- Maintain at least 6 feet of distance between coaches and participants and facilitate physical distancing between participants to the maximum extent possible (e.g., staggered starts instead of mass starts for races).

Informed Consent

• Due to the nature and risk of transmission while participating in Outdoor High-Contact and Moderate-Contact sports, provide information regarding risk to all parents/guardians of minors participating in such sports, and have each parent sign an informed consent indicating their understanding and acknowledgement of the risks indicated herein.

Testing

• Unless required as noted below, regular and postseason antigen or PCR testing of sports participants and coaches weekly while participating in Outdoor High-Contact sports is strongly encouraged. If competing, testing performed with test results made available within 24 hours of play.

Hygiene and Equipment Sanitation

- When equipment is shared during an activity, participants perform hand hygiene (wash hands with soap
 and water or use an alcohol-based hand sanitizer) before play, during breaks, at half time, and after the
 conclusion of the activity.
 - Balls or other objects or equipment can be touched by multiple players during practice and play if the above hand hygiene practices are followed.

Limitations on Mixing by Participants

- Limit participation by athletes and coaches during practice and competition to one team, and refrain from
 participating with more than one team over the same season or time period. For larger teams, limit mixing
 by establishing stable smaller training groups for drills and conditioning.
- Review practice or game footage virtually, to the greatest extent possible. If not feasible, then it should be conducted outdoors, with all participants wearing face coverings and following appropriate physical distancing measures.

Indoor Venue Capacity Limitations

Ventilation in indoor venues (gyms or other fitness centers) increased to the maximum extent possible.

Travel Considerations

- Bus/van travel for members of a team may pose a greater risk. To mitigate COVID-19 transmission risk during bus/van travel, employ universal masking, physical distancing and windows to remain open the full duration of the trip unless not feasible.
- Plan for proper communication of all travel rules, protocols and expectations to everyone in the travel party. When feasible, teams should aim to travel and play the same day to avoid overnight stays.
- Travel by private car limited to only those within the immediate household.

Returning to Sports After Infection

- No one with symptoms of COVID-19 or who is in isolation or quarantine for COVID-19 is permitted to attend practices or competitions.
- Anyone with symptoms of COVID-19 should consult their physician for testing and notify their coach, athletic trainer and/or school administrator of their symptoms and test results.

• Youths recovering from COVID-19 will have different paths to return to sports based on the severity of their illness. See the American Academy of Pediatrics Interim Guidance on Return to Sports [1] for additional guidance for more serious infections.

Vaccination of Eligible Households

• Sports participants, including coaches and support staff, are strongly encouraged to be vaccinated once eligible as vaccines will protect residents and reduce the likelihood of transmission from infected persons to others.

Table: Youth and Adult Recreational Sports* Permitted by Current Tier of County**

Widespread Tier (Purple)	Substantial Tier (Red)	Moderate Tier (Orange)	Minimal Tier (Yellow)
1	2	3	4

Outdoor low-contact sports • Archery

- Badminton (singles)
- Biking
- Bocce
- Corn hole
- Cross country
- Dance (no contact)
- Disc golf
- Equestrian events (including rodeos) that involve only a single rider at a time
- Fencing
- Golf
- Ice and roller skating (no contact)
- Lawn bowling
- Martial arts (no contact)
- Physical training programs (e.g., yoga, Zumba, Tai chi)
- Pickleball (singles)
- Rowing/crew (with 1 person)
- Running
- Shuffleboard
- Skeet shooting
- Skiing and snowboarding
- Snowshoeing
- Swimming and diving
- Tennis (singles)
- · Track and field
- · Walking and hiking

Outdoor moderatecontact sports

- Badminton (doubles)
- Baseball
- Cheerleading
- Dodgeball
- Field hockey
- Gymnastics
- Kickball
- Lacrosse (girls/women)
- Pickleball (doubles)
- Softball
- Tennis (doubles)
- Volleyball

Outdoor high-contact sports

- Basketball
- Football
- Ice hockey
- Lacrosse (boys/men)
- Rugby
- Rowing/crew (with 2 or more people)
- Soccer
- Water polo

Indoor moderate-contact sports

- Badminton (doubles)
- Cheerleading
- Dance (intermittent contact)
- Dodgeball
- Kickball
- Pickleball (doubles)
- Racquetball
- Squash
- Tennis (doubles)
- Volleyball

Indoor low-contact sports

- Badminton (singles)
- Bowling
- Curling
- Dance (no contact)
- Gymnastics
- Ice skating (individual)
- Physical training
- Pickleball (singles)
- Swimming and diving
- Tennis (singles)
- Track and field

Indoor high-contact sports

- Basketball
- Boxing
- Ice hockey
- Ice skating (pairs)
- Martial arts
- Roller derby
- Soccer
- Water polo
- Wrestling

*Play in Less Restrictive Tiers: Outdoor High-Contact Sports

Outdoor high-contact sports (orange tier) can be played in the purple or red tier with an adjusted case rate equal to or less than 14 per 100,000 under the following conditions:

Implement and strictly adhere to the following additional general guidance:

- Informed Consent
- Testing antigen or PCR (regular and postseason antigen or PCR testing of sports participants and coaches weekly. If competing, testing performed with test results made available within 24 hours of play)

Note: The testing requirement above shall only apply in the following situations:

- For football, rugby and water polo as these are high contact sports that are likely to be played unmasked at times, with close, face to face contact exceeding 15 minutes.
- When adjusted case rates for the county are between 14-7 per 100,000.
- For sport participants 13 years of age or above as evidence shows that younger children do not seem to be major sources of transmission—either to each other or to adults.
- *If more than 50% of a team's participants are less than the age of 13 (and are not required to test per the above), then the entire team is exempted from the testing requirement. Coaches, however, will still be required to meet the testing requirement.

Additional general guidance that should be implemented to the greatest extent possible and are strongly encouraged

- Face Coverings (during play)
- Physical Distancing (during play)
- Testing antigen or PCR
- Hygiene and Sanitation
- Limitations on mixing by participants
- Travel Considerations

*Play in Less Restrictive Tiers: Outdoor Moderate-Contact Sports

Outdoor moderate-contact sports (red tier) can be played in the purple tier with an adjusted case rate equal to or less than 14 per 100,000 under the following conditions:

Implement and strictly adhere to the following additional general guidance:

Informed Consent

Additional general guidance that should be implemented to the greatest extent possible and are strongly encouraged

- Face Coverings (during play)
- Physical Distancing (during play)
- Hygiene and Sanitation
- Limitations on mixing by participants
- Travel Considerations

If competition for high- and moderate-contact sports is permitted to resume in a county pursuant to this updated guidance, competition is not required to cease if the county's adjusted case rate exceeds the 14 per 100,000 threshold.

**Conditions for Return to Play if Not Otherwise Authorized

A team in any sport, including indoor sports, may return to competition and contact practice at any time (i.e., earlier than otherwise authorized by this Guidance), if the team adheres the additional requirements imposed on collegiate sports, as specified in the Institutions of Higher Education Guidance, dated September 30, 2020. For ease of reference, the requirements from that Guidance, as applicable to this sector, are summarized below.

Testing

Regular periodic COVID-19 testing of athletes and support staff must be established and implemented prior
to return to practice (other than the "[p]hysical conditioning, practice, skill-building, and training that can
be conducted outdoors, with 6 feet of physical distancing, and within stable cohorts" that is currently
authorized in all tiers).

- This includes baseline testing and ongoing screening testing. Based on current evidence and standards, both daily antigen testing and periodic PCR testing are acceptable testing methods for both baseline and ongoing screening testing.
 - If following a daily antigen testing protocol, the protocol must begin with a PCR test followed by daily antigen testing. Any positive antigen test must trigger a PCR test for confirmation. PCR testing is required for symptomatic athletes and staff and should be conducted within 24 hours of symptoms being reported.
- For high-risk contact sports (basketball, field hockey, football, ice hockey, lacrosse, rowing, rugby, soccer, squash, volleyball, water polo, and wrestling), competition between teams is permitted only if the team can provide COVID-19 testing and results of all athletes and support staff within 48 hours of each competition.

Return to Play Safety Plan

- A school must adopt, and its teams follow (or if a team operates independent from a school, the team must adopt and follow) a school-specific (or team-specific, as applicable) 'return to play' safety plan.
- Consistent with requirements imposed by the National Collegiate Athletic Association (NCAA), athletes are not required to waive their legal rights regarding COVID-19 as a condition of athletics participation.
- In conjunction with local public health officials and contact tracers, schools (or teams, as applicable) must have in place a mechanism for notifying other schools (or teams, as applicable) should an athlete from one team test positive within 48 hours after competition with another team.
- A school (or team, as applicable) must evaluate the availability of, and accessibility to, local contact tracing resources. Where the availability of local contact tracing resources is inadequate, schools (or a team, as applicable) must train on-site personnel or procure contact tracing resources.

Site Specific Plan

- A school (or if a team operates independent from a school, the team) must establish a written, facility-specific COVID-19 prevention plan at every facility, perform a comprehensive risk assessment of all work and athletic areas, and designate a person at each facility to implement the plan.
- A school (or if a team, operates independent from a school, the team) must designate a person responsible for responding to COVID-19 concerns for athletics overall, and for each team or sport, as applicable.
- A school (or if a team operates independent from a school, the team) must train and communicate with workers, worker representatives (as applicable), and athletes on the plan and make the plan available to workers and their representatives.
- A school (or if a team operates independent from a school, the team) must regularly evaluate the facility for compliance with the plan and document and correct deficiencies identified.

Other Individual Control and Screening

- A school (or if a team operates independent from a school, the team) must provide symptom and health screenings for all workers and athletes entering the facility or event. Make sure the temperature/symptom screener avoids close contact with workers or athletes to the extent possible.
- If requiring self-screening at home, which is an appropriate alternative to providing it at the establishment, the school (or team, as appropriate) must ensure that screening was performed prior to the worker or athlete leaving home and follows CDC guidelines.

Isolation and Quarantine

- To participate in moderate- and high-contact sports practice or competition, a school (or if a team operates independent from a school, the team), athletes must commit to adherence with appropriate isolation and quarantine procedures.
- All symptomatic athletes and staff must remain in isolation until test results are available, and repeat testing should be considered if initial testing is negative and symptoms continue and are consistent with COVID-19 symptoms.
- All athletes and staff who test positive or are clinically diagnosed with COVID-19 disease must isolate:

- For 10 days after symptoms first appeared (or 10 days after specimen collection for their first positive test), AND
- At least 24 hours have passed with no fever (without use of fever-reducing medications), AND
- Other symptoms have improved.
- Individuals who test positive for SARS-CoV-2 but never develop symptoms, may return to work or school 10 days after the date of specimen collection for their first positive test for SARS-CoV-2.
- Individuals identified as close contacts (within 6 feet for at least 15 minutes) must follow state and local public health directives or orders for quarantine, regardless of the frequency of testing for those in the cohort or footprint. Close contacts must quarantine for 14 days after the last exposure.
- Due to the nature of athletic participation, schools (or teams, as applicable) must take steps to assist with the contact tracing process including, but not limited to, film review of practice, if available, and extended assessment of contact associated with athletic participation so that all athlete contacts can be identified.

Travel for Competition

• When traveling to away games, teams must remain in a team cohort, with no mixing with the local teams or other members of the host community.

[1] American Academy of Pediatrics COVID-19 Interim Guidance: Return to Sports web page (services.aap.org/en/pages/2019-novel-coronavirus-covid-19-infections/clinical-guidance/covid-19-interim-guidance-return-to-sports)

Originally published February 19, 2021

California Department of Public Health PO Box, 997377, MS 0500, Sacramento, CA 95899-7377 Department Website (cdph.ca.gov)

